

## DS-MH2211(B) Series Body Camera



### Introduction

DS-MH2211(B) series body camera is a highly integrated device designed for security and law enforcement. It can record video, tape audio, and capture image of the scene. It's small, light, easy-to-carry, and easy-to-operate. It's a good helper in law enforcement.

### Key Feature

- H.264/H.265 encoding technology.
- Up to 1080p/25 fps recording resolution.
- 110° wide-range lens.
- Dismountable battery design.
- A built-in small battery can supply power when replacing the main battery.
- Denoising technology to reduce noise and resist echo.
- Built-in GPS module.
- Light weight.
- Small size.
- IP65.
- 2.0" TFT LCD.

### Available Model

DS-MH2211/32G(B)

DS-MH2211/32G/GPS/WIFI(B)

DS-MH2211/64G/GPS/WIFI(B)




## Specification

Model		DS-MH2211/32G(B)	DS-MH2211/32G/GPS/WIFI(B) DS-MH2211/64G/GPS/WIFI(B)
Sensor	Type	1/3" CMOS	
	FOV	Horizontal: 127° Vertical: 70° Diagonal: 148°	
Display	Dimension	2.0" TFT LCD	
Video Parameters	Video Input	1080p	
	Video Compression	H.264, H.265	
	Video Resolution	1080p/25 fps, 720p/25 fps, 720 × 576/25 fps	
	Main Stream	1080p/25 fps	
	Sub-Stream	720p/25 fps	
	Video Format	.mp4	
	Picture Resolution	Up to 30 MP	
	Picture Format	.jpg	
	Shutter	Digital shutter	
	Day & Night	IR cut filter with auto switch	
	White Balance	Auto	
	Flashing Light	Supported	
Laser Positioning	Supported		
Storage	Capacity	A built-in storage chip of 32 GB/64 GB	
Positioning	Satellite Positioning	Not supported	Built-in GPS module
Wireless Transmission	Wi-Fi	Not supported	Supported. 802.11b/g/n
General	Working Temperature	-20 °C to +55 °C (-4 °F to +131 °F)	
	Working Humidity	≤ 90%	
	Ingress Protection Level	IP65	
	Dimension (L × W × H)	81.5 × 54.5 × 26 mm (3.2 × 2.1 × 1.0")	
	Weight	Body camera: 127 g (0.28 lb)	
Others	Buttons	Power switch, recording button, taping button, capture button, two-way audio button, menu button, up button, down button, OK button.	
	USB Interface	Mini USB 2.0	
	Charging	Charging via USB interface Mini USB interface, USB socket charger	
	Battery	A dismountable battery with 1,650 mAh capacity	


**Note:**

- Battery life is affected by environment and device configuration. In general condition, the battery capacity will reduce after one-year usage.
- The device can record about 8/7 hours continuously in 720p/1080p resolution when Wi-Fi, GPS, and LCD are disabled.

## Typical Application



## Dimension



Distributed by



## HIKVISION®

### Headquarters

No.555 Qianmo Road, Binjiang District,  
Hangzhou 310051, China  
T +86-571-8807-5998  
overseasbusiness@hikvision.com

**Hikvision USA**  
T +1-909-895-0400  
sales.usa@hikvision.com

**Hikvision Australia**  
T +61-2-8599-4233  
salesau@hikvision.com

**Hikvision India**  
T +91-22-28469900  
sales@pramahikvision.com

**Hikvision Canada**  
T +1-866-200-6690  
sales.canada@hikvision.com

**Hikvision Thailand**  
T +662-275-9949  
sales.thailand@hikvision.com

**Hikvision Europe**  
T +31-23-5542770  
sales.eu@hikvision.com

**Hikvision Italy**  
T +39-0438-6902  
info.it@hikvision.com

**Hikvision Brazil**  
T +55 11 3318-0050  
Latam.support@hikvision.com

**Hikvision Turkey**  
T +90 (216)521 7070- 7074  
sales.tr@hikvision.com

**Hikvision Malaysia**  
T +601-7652-2413  
sales.my@hikvision.com

**Hikvision UK & Ireland**  
T +01628-902140  
sales.uk@hikvision.com

**Hikvision South Africa**  
Tel: +27 (10) 0351172  
sale.africa@hikvision.com

**Hikvision France**  
T +33(0)1-85-330-450  
info.fr@hikvision.com

**Hikvision Kazakhstan**  
T +7-727-9730667  
nikia.panfilov@hikvision.ru

**Hikvision Vietnam**  
T +84-974270888  
sales.vt@hikvision.com

**Hikvision UAE**  
T +971-4-4432090  
salesme@hikvision.com

**Hikvision Singapore**  
T +65-6684-4718  
sg@hikvision.com

**Hikvision Spain**  
T +34-91-737-16-55  
info.es@hikvision.com

**Hikvision Tashkent**  
T +99-87-1238-9438  
uzb@hikvision.ru

**Hikvision Hong Kong**  
T +852-2151-1761  
info.hk@hikvision.com

**Hikvision Russia**  
T +7-495-669-67-99  
saleru@hikvision.com

**Hikvision Korea**  
T +82-(0)31-731-8817  
sales.korea@hikvision.com

**Hikvision Poland**  
T +48-22-460-01-50  
info.pl@hikvision.com

**Hikvision Indonesia**  
T +62-21-2933759  
Sales.Indonesia@hikvision.com

**Hikvision Colombia**  
sales.colombia@hikvision.com