



The Xtralis VESDA Sliding Windows High Level Interface (HLI) links your VESDAnet* with PC software monitoring and configuring tools such as Xtralis VSM4 and Xtralis VSC.

To configure and monitor devices on VESDAnet, your HLI must be connected to a VESDAnet socket card.

Direct Access to the Network

By interfacing with PC monitoring and configuring tools, the Sliding Windows HLI allows you to easily configure, manage and monitor your entire VESDA network.

Simple Configuration and Seamless Data Transfer

Your HLI is easily configured using your Xtralis VSC or Xtralis VSM4 software packages. The Sliding Windows model provides seamless data transfer from your VESDAnet to your PC.

Designed for Small or Large Networks

Xtralis VESDA Sliding Windows HLIs are designed to suit your individual system design. The VHX-0210 is ideally suited for small networks of up to 40 devices, while the VHX-0200 is designed for large networks of up to 200 devices.

Modem Support

The VHX-0210 has modem (dial-in or dial out) capabilities allowing you full remote notification and interrogation functionality on networks of up to 40 devices.

*VESDAnet is a propriety communications protocol allowing your Xtralis VESDA range of smoke detectors, displays, programmers and remote units (collectively known as devices) to communicate with each other on the one network. VESDAnet is a fault tolerant bi-directional protocol. This means that if one direction of communication fails, then your VESDAnet messages are transmitted in the opposite direction.

Features

- Direct access and monitoring of your entire VESDAnet system
- Designed for small or large networks
- VHX-0210 includes modem support for remote notification & interrogation
- Seamless data transfer from your VESDAnet to your PC
- Easily configured using Xtralis configuring and monitoring software packages

Listings/Approvals

Xtralis VESDA HLIs are recommended for monitoring only. They are not approved for use as a primary reporting device.

Available Nationally From:

SYDNEY - Incite Fire

Address Unit 3, 165 Rookwood Road
Yagoona NSW 2199
Phone 02 9707 2200
Facsimile 02 9707 1900
Email sales@incitefire.com.au

MELBOURNE - Incite Fire

Address Unit 120, 45 Gilby Road
Mt Waverley VIC 3149
Phone 03 9544 2211
Facsimile 03 9544 2212
Email salesvic@incitefire.com.au

BRISBANE - eFire Technologies

Address 25 Jeays Street
Bowen Hills QLD 4006
Phone 07 3252 5366
Facsimile 07 3252 4099
Email sales@efiretechnologies.com.au



www.incitefire.com.au



Xtralis VESDA Sliding Windows HLI™


VHX-0200 & VHX-0210

Xtralis VESDA Sliding Windows High Level Interface

	Number of devices connected to VESDAnet	Modem Support (Dial in/Dial out Feature)	Use with Xtralis software packages
VHX-0200 Sliding Windows	Up to 200	No	Yes
VHX-0210 Sliding Windows	Up to 40	Yes	Yes

NOTE: Consult Xtralis or your local Xtralis distributor for network designs with more than 100 devices or for information about HLIs that directly interface with specific manufacturer Fire Alarm Control Panel (FACP) products.

Dimensions



For more information and support contact your local Xtralis office or Xtralis VESDA distributor.

Specifications

Power Consumption:

1.68 W (stable state i.e. no alarms and no fault conditions)

Supply Voltage:

24 VDC

Current Consumption:

70 mA

Dimensions:

192 mm x 110 mm x 40 mm
(7.5 in x 4 in x 1.6 in approx.)

Weight:

0.4 kg (0.9 lbs)

Supplied With:

RS-232 9-way serial cable (male-female) for connection to a PC (identical to VSP-509).

All internal product connectors for power & communications.

Product Warranty

2 years

Ordering Information

Product	Part number
Sliding Windows HLI (No modem capability)	VHX-0200
Sliding Windows HLI (With Dial In/Dial Out functionality)	VHX-0210
Wall-mounted HLI (Sliding Windows)	VHX-1200
Open Protocol HLI (Peer-to-Peer)	VHX-0300
Open Protocol HLI (Master-Slave)	VHX-0310
Wall-mounted Open Protocol HLI (Peer-to-Peer)	VHX-1300
Wall-mounted Open Protocol HLI (Master-Slave)	VHX-1310
VESDA Socket Module (Remote module box) (Not required with the Wall-mounted HLI)	VRT-300
Xtralis VSC (Xtralis VSC is available from the Xtralis Partner Extranet at www.xtralis.com)	VSW-100
VESDALink 9-way serial cable (Spare part)	VSP-509

Available Nationally From:

SYDNEY - Incite Fire

Address Unit 3, 165 Rookwood Road
Yagoona NSW 2199

Phone 02 9707 2200

Facsimile 02 9707 1900

Email sales@incitefire.com.au

MELBOURNE - Incite Fire

Address Unit 120, 45 Gilby Road
Mt Waverley VIC 3149

Phone 03 9544 2211

Facsimile 03 9544 2212

Email salesvic@incitefire.com.au

BRISBANE - eFire Technologies

Address 25 Jeays Street
Bowen Hills QLD 4006

Phone 07 3252 5366

Facsimile 07 3252 4099

Email sales@efiretechnologies.com.au



www.incitefire.com.au

