

Telefication B.V. Kiwa FSS Products Wilmersdorf 50 Postbus 137 7300 AC Apeldoorn The Netherlands

https://www.kiwa.com/nl/en/ specials/fire-safety-andsecurity

CERTIFICATE

No: 000208/04

In accordance with the **CertAlarm** Rules and Certification scheme type 5, as defined in ISO/IEC 17067, we Telefication B.V. certify that the product

HS2LCDRFP8

is in conformity with the following standard(s)

EN 50131-3 March, 2009

Alarm systems - Intrusion and hold-up systems - Part 3: Control and indicating equipment

EN 50131-5-3 March, 2017

Requirements for interconnections equipment using radio frequency techniques

Digital Security Controls, a div. of Tyco Safety Products Canada Ltd.

3301 Langstaff Road L4K 4L2 CONCORD Canada

is authorised to use the CERTALARM Mark on the above mentioned product.

This certificate is valid until:

05-08-2025



Signed on behalf of Kiwa FSS products

05 Aug 2021

Ron Scheepers

Managing director





Wilmersdorf 50 Postbus 137 7300 AC Apeldoorn The Netherlands

https://www.kiwa.com/nl/en/specials/fire-safety-and-security

CERTIFICATE

No: 000208/04 - Annex No 1

Takes into account the following product:

Product description:
 Trademark:
 Type designation:
 Hardware version:
 I&HAS Keypad
 DSC/Tyco
 HS2LCDRFP8
 UA627 Rev. 03

Software version: 1.35Serial number: N/A

Variants:

Product description:
Trademark:
Type designation:
Hardware version:
UA627 Rev. 03

Software version: 1.35Serial number: N/A

- Product description: I&HAS Keypad
- Trademark: DSC/Tyco
- Type designation: HS2ICNRFP8
- Hardware version: UA627 Rev. 03

Software version: 1.35Serial number: N/A

Product description: I&HAS Keypad
 Trademark: DSC/Tyco
 Type designation: HS2ICNRF8
 Hardware version: UA627 Rev. 03

Software version: 1.35Serial number: N/A

- Product description: I&HAS Keypad- Trademark: DSC/Tyco

Type designation: HS2LCDRFPR08Hardware version: UA627 Rev. 03

Software version: 2.31Serial number: N/A





https://www.kiwa.com/nl/en/ specials/fire-safety-andsecurity

CERTIFICATE

No: 000208/04 - Annex No 1

The optional features of the specifications that are included in the product and test report:

Security grade: 2 Environmental class: II Equipment class: Fixed

This equipment can be applied in EN 50131-1 compliant systems up to and including security grade 2.

Factory location:

TYCO INTERNATIONAL DE MEXICO S DE R.L. DE C.V.
ANTONIO MEUCCI YG GONZALEZ CAMARENA # 10002/PARQUE INDUSTRIAL LA VENTANA
87569, Matamoros
Mexico

Storage location: AnB Rimex SA Rue de l'Abbaye 89 4040 Herstal Belgium

Test Reports:

- Nemko Canada Inc.: HS2LCDRFP4_8 EN 50130-4 Nemko Test Report 233460-1TRFEMC, 16 May 2013
- Telefication B.V.: 20134029801-Ver 2.00, 23 December 2014
- Telefication B.V.: 20134029800-Ver 1.00, 09 January 2015
- Telefication B.V.: 180600137-003-Ver 1.00, 21 December 2018

Applied Standards

EN 50130-5 June, 2011

Alarm systems - Part 5: Environmental test methods

EN 50131-1+A1+A2 May, 2017

Alarm systems - Intrusion and hold-up systems - Part 1: System requirements

www.certalarm.org
Registered in Brussels: CertAlarm AISBL, 1080 Brussels, Boulevard Edmond Machtens 180





https://www.kiwa.com/nl/en/specials/fire-safety-and-security

CERTIFICATE

No: 000208/04 - Annex No 1

EN 50130-4+A1 October, 2014

Alarm systems - Part 4: Electromagnetic compatibility - Product family standard: Immunity requirements for components of fire, intruder, hold up, CCTV, access control and social alarm systems







https://www.kiwa.com/nl/en/specials/fire-safety-and-security

CERTIFICATE

No: 000208/04 - Annex No 2

Validity of Certificate:

The Certificate remains valid based upon satisfactory annual factory production control audits for Fire products or biennial factory production control audits for Security products and follow up re-testing as required by CertAlarm scheme rules.

Documents submitted:

- Assembly drawings
- Bill of material / Parts list
- Electronic schematics
- Manual
- Internal / external photos
- Label and label placement

DISCLAIMER:

The validity of this certificate is limited to products, which are equal to the one(s) examined.

